SECURITIES AND EXCHANGE COMMISSION WASHINGTON, D.C. 20549

FORM 8-K

CURRENT REPORT

Pursuant to Section 13 or 15(d) of the Securities Exchange Act of 1934

Date of Report (Date of earliest event reported) January 29, 2004

BECTON, DICKINSON AND COMPANY		
(Exact name of registrant as specified in its charter)		
New Jersey	001-4802	22-0760120
(State or other juris- diction of incorporation)	•	(IRS Employer Iden- tification Number)
1 Becton Drive, Franklin Lakes,	New Jersey	07417-1880
(Address of principal executive offices)		(Zip Code)
Registrant's telephone number, inc	luding area code	(201) 847-6800
N/A		
(Former name or former addresses if changed since last report.)		

- Item 7. Financial Statements and Exhibits.
 - (c) Exhibits.

Exhibit 99.1 Press release dated January 29, 2004 which is furnished pursuant to Item 9.

Item 9. Regulation FD Disclosure.

On January 29, 2004, the Registrant issued the press release that is attached hereto as Exhibit 99.1.

SIGNATURES

Pursuant to the requirements of the Securities Exchange Act of 1934, the registrant has duly caused this report to be signed on its behalf by the undersigned hereunto duly authorized.

BECTON, DICKINSON AND COMPANY (Registrant)

By: /s/ Dean J. Paranicas

Dean J. Paranicas Vice President, Corporate Secretary and Public Policy Date: January 29, 2004

INDEX TO EXHIBITS

Exhibit

Number Description of Exhibits
----99.1 Press release dated January 29, 2004

STATEMENT OF DIFFERENCES

The trademark symbol shall be expressed as.....'TM'

NEWS RELEASE

Contact:

Colleen White, Corporate Communications - 201-847-5369 Patricia Spinella, Investor Relations - 201-847-5453

BD Initiates Voluntary Recall of Certain BD'TM' Test Strips

FRANKLIN LAKES, NJ (January 29, 2004) - BD (Becton, Dickinson and Company) (NYSE:BDX) announced today that it has initiated a voluntary product recall of certain lots of its BD'TM' Test Strips used for blood glucose monitoring. These lots may produce an increased frequency of "E-3" messages when used during blood glucose testing.

The E-3 message is a protective feature of the meter that appears during a test to indicate issues with the application of a blood sample or with the test strip. This message does not cause erroneous test results, as no test result is shown when the E-3 message is displayed. To maintain the highest product quality standards and ensure customer satisfaction, BD is performing this recall and replacing strips from all affected lots. BD has a sufficient remaining quantity of test strips in inventory to replace the recalled product and to continue supplying the market.

BD is informing its customers, including distributors, retailers and healthcare professionals, about this situation and has outlined steps for replacement of test strips from affected lots.

Patient safety and the efficacy of its products are BD's first priorities. Customers with questions or concerns can call BD toll-free at 1-866-556-8123.

BD is a medical technology company that serves healthcare institutions, life science researchers, clinical laboratories, industry and the general public. BD manufactures and sells a broad range of medical supplies, devices, laboratory equipment and diagnostic products. For the fiscal year ended September 30, 2003, BD reported total revenues of \$4.528 billion.

* * *

This press release may contain certain forward-looking statements (as defined under Federal securities laws) regarding BD's performance, including future revenues, products and income, or events or developments that BD expects to occur or anticipates occurring in the future. All such statements are based upon current expectations of BD and involve a number of business risks and uncertainties. Actual results could vary materially from anticipated results described, implied or projected in any forward-looking statement. Factors that could cause actual results to vary materially from any forward-looking statement include, but are not limited to: competitive factors; pricing and market share pressures; uncertainties of litigation; BD's ability to achieve sales and earnings forecasts, which are based on sales volume and product mix assumptions, to achieve

its cost savings objectives, and to achieve anticipated synergies and other cost savings in connection with acquisitions; changes in regional, national or foreign economic conditions; increases in energy costs; fluctuations in costs and availability of raw materials and in BD's ability to maintain favorable supplier arrangements and relationships; changes in interest or foreign currency exchange rates; delays in product introductions; and changes in health care or other governmental regulation, as well as other factors discussed in this press release and in BD's filings with the Securities and Exchange Commission. We do not intend to update any forward-looking statements.